PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : A61K 9/48 — A1

(11) International Publication Number: **WO 00/18377**

(43) International Publication Date: 6 April 2000 (06.04.00)

(21) International Application Number: PCT/US99/22117

(22) International Filing Date: 23 September 1999 (23.09.99)

(30) Priority Data:
60/102,017 28 September 1998 (28.09.98) US

(71) Applicant *(for all designated States except US)*: WARNER-LAMBERT COMPANY [US/US]; 201 Tabor Road, Morris Plains, NJ 07950 (US).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: COLE, Ewart, Thomas [GB/CH]; Homelstrasse 36, CH-4144 Hofstetten (CH). SCOTT, Robert, Anthony [GB/BE]; Koninin Elisabethplein 26, Bus 4, B-9100 Sint-Niklaas (BE).

(74) Agents: RYAN, M., Andrea; Warner-Lambert Company, 201 Tabor Road, Morris Plains, NJ 07950 (US) et al.

(81) Designated States: AE, AL, AU, BA, BB, BG, BR, CA, CN, CR, CU, CZ, DM, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, TZ, UA, US, UZ, VN, YU, ZA, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: ENTERIC AND COLONIC DELIVERY USING HPMC CAPSULES

(57) Abstract

The invention provides a drug delivery system for delivering a drug to either the small intestine (enteric) or the colon comprising a HPMC capsule containing the drug and wherein the HPMC capsule is provided with a suitable coating such that the drug is released from the capsule either in the small intestine or the colon.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Enteric and Colonic Delivery using HPMC Capsules

Enteric coated products are designed to remain intact in the stomach but to dissolve and release the active substance in the upper intestine. This type of product is termed a delayed release dosage form.

Most commercially available products in this category are tablets or pellets filled into hard gelatin capsules. Enteric coated preparations are usually used for one or more of the following purposes:

- To protect the drug from the destructive action of the enzymes or low pH environment of the stomach.
- To prevent or reduce nausea associated with a drug's irritation of gastric mucosa.
- To deliver the drug in an undiluted form to its absorption site in the intestine.

The polymers commonly used to achieve enteric properties are polymethacrylates (copolymerisate of methacrylic acid and either methylmethacrylate or ethyl acrylate (EUDRAGIT®), cellulose based polymers e.g. cellulose acetate phthalate (AQUATERIC®) or polyvinyl derivatives e.g. polyvinyl acetate phthalate (COATERIC®).

Colonic products, on the other hand are also designed to remain intact in the stomach but to release the active substance further along the gastrointestinal tract, i.e., in the colon. The site specific delivery of drugs to the colon has implications in a number of therapeutic areas. These include:

- The local treatment of colonic diseases such as Crohn's disease, irritable bowel syndrome, ulcerative colitis and colon cancer.
- The ability to deliver a drug into the colon which is susceptible to hydrolysis in the G.I. tract. Advances in biotechnology are producing increasing numbers of proteins and peptides. Protecting these labile compounds during their transit through the hostile environment of the upper G.I. tract and delivering them directly to the colon, a site low in host digestive enzymes and of more favourable pH will increase their chance of being absorbed.

- The ability to delay systemic absorption in diseases such as asthma, arthritis or inflammation which are affected by circadian rhythmus.

A number of technologies, both marketed and in development, have been described which claim to provide colon specific drug delivery (2 – 24).

As previously mentioned, site specific delivery into the upper intestine has been achieved for many years by the use of pH-sensitive coatings. By applying a thicker coating and/or raising the threshold pH at which dissolution of the coating begins colon specific delivery using enteric polymers has been achieved. Tablets containing mesalazine and coated with Eudragit® S100, which dissolves above pH 7, are marketed in a number of countries (Asacol®, SmithKline Beecham, UK), Mesalazine tablets coated with Eudragit® L100, which dissolves above pH 6, are also commercially available (Claversal® and Salofalk®).

The majority of the enteric and colon delivery systems are based on tablets or pellets which are filled into conventional hard gelatin capsules.

During the early stages of drug development some new chemical entities (NCE's) present a challenge in testing for efficacy due to instability in gastric fluids or because of irritation in the gastrointestinal tract. In these situations, enteric or colonic coating of an encapsulated drug formulation would enable the efficacy of the drug to be determined without the complications of gastric instability or irritation. The limited amount of drug substance available during the early stage preclude the development of a coated pellet or tablet formulation. Since the coating process is independent of the capsule contents the advantages resulting from the ability to coat a capsule are obvious. Thus the oral pharmacological and/or therapeutic efficacy of the NCE can be determined without resorting to extensive formulation development studies which are expensive, time consuming and, in many instances, impossible at this point in the development of the NCE. Additionally, the capsule provides the possibility to deliver liquid or semi-solid formulations to the small or large intestine.

The most commonly used material for manufacturing capsules is gelatin. Although it is possible to coat hard gelatin capsules the proc ss is at best very sensitive, especially if an aqueous coating system is used, and can lead to shell

mbrittl m nt and poor adhesion of th coat to the smooth g latin surface. A pre-coating can reduce int ractions between the g latin and th enteric polym r but is time consuming and complicated.

Watts (16) has described a colonic drug delivery system based on a starch injection moulded capsule. This system has all the advantages of a capsule described above but suffers from the disadvantage of requiring a specially designed capsule filling and sealing machine, thus narrowing the field of application of the technology.

Surprisingly we have found that the disadvantages of the hard gelatin capsule and the general prejudice associated with coating of this dosage form to achieve enteric or colonic delivery can be significantly reduced by the use of capsules made from hydroxypropylmethyl cellulose. This capsule has the same shape as a conventional hard gelatin capsule and can be filled using standard and widely available capsule filling machines.

The invention therefore provides a drug delivery system for delivering a drug to either the small intestine (enteric) or the colon comprising a HPMC capsule containing the drug and wherein the HPMC capsule is provided with a suitable coating such that the drug is released from the capsule either in the small intestine or the colon.

In a preferred embodiement of the invention the HPMC capsules are sealed after filling in the overlapping region of capsule body and cap by commonly known sealing techniques like banding or applying a sealing liquid and/or heat to the gap between capsule body and cap. Preferred is a sealing process, in which a sealing liquid which may include a solfvent applied individually and uniformly to the external edge of the gap of a capsule to be sealed to form a liquid ring around the circumference of the capsule, removing excess sealing liquid from the exterior of the capsule and drying the capsule by applying thermal energy from outside. Such a sealing before coating will prevent problems e.g. with non-uniformity of the coating at the gap or development of fissures during storage under stressing conditions, which can lead to an unwated early leaking of the capsule content into the stomach.

Surprisingly it has been found that enteric coated HPMC capsule have superior properties than enteric coated gelatin capsules, especially much higher resistance

against acid solutions. In comparativ tests 6 from 6 gelatin capsules coated with Eudragit L30D at 10 mg/cm2 opened in a disintegration test after 30 min at pH 1.2, wheras coated HPMC capsules only at 7 mg/cm2 withstood 120 min at pH 1.2.

The composition of the coating should ensure a complete disintegration of the coating in the small intestine or the colon while at the same time minimizing the possibility of the coating disintegrating either in the stomach or passing through the gastrointestinal tract intact.

For release in the small intestine any coating can be used which ensures that the capsule does not disintegrate until it is emptied from the stomach. The coating will usually be one which is pH sensitive and which completely dissolves in the small intestine. Typical coating thicknesses will be in the range 5 to 15 mg polymer per cm^2 of capsule surface.

For a capsule of size 1 with a surface area of approx. 4 cm^2 this represents a weight gain of 20 mg to 60 mg per capsule (50 – 150 µm).

Preferred coating materials are those which dissolve at a pH of 5 – 6. The coatings therefore only begin to dissolve when they have left the stomach and then rapidly disintegrate once the capsule has entered the small intestine. Such a coating can be made from a variety of polymers such as cellulose acetate trimellitiate (CAT), hydroxypropylmethyl cellulose phthalate (HPMCP), polyvinyl acetate phthalate (PVAP), cellulose acetate phthalate (CAP) and shellac.

Especially preferred materials for aqueous film coating are copolymers of methacrylic acid and ethyl acrylate, Eudragit® L30D-55 (Roehm GmbH, Darmstadt, Germany).

For release in the terminal ileum or colon any coating can be used which ensures that the capsule does not disintegrate until it is emptied from the stomach. The coating may be one which is pH-sensitive, redox-sensitive or sensitive to particular enzymes or bacteria, such that the coating only dissolves or finishes dissolving in the colon. Thus the capsules will not release the drug until it is in the terminal ileum or colon.

Typical coating thicknesses will be in the range 5 – 15 mg polymer per cm^2 of capsule surface. For a capsule of size 1 with a surface area of approx. 4 cm^2 this represents a weight gain of 20 mg to 60 mg per capsule.

Preferred coating materials are those which dissolve at a pH of 7 or above. The coatings only start to dissolve when they have left the stomach and entered the small intestine. By the time the capsule has reached the terminal ileum or colon the coating will have completely dissolved.

Such a coating can be made from a variety of polymers such as cellulose acetate trimellitiate (CAT) hydroxypropylmethyl cellulose phthalate (HPMCP), polyvinyl acetate phthalate (PVAP), cellulose acetate phthalate (CAP), shellac and copolymers of methacrylic acid and ethyl acrylate. Especially preferred materials for aqueous film coating are copolymers of methacrylic acid and ethyl acrylate to which a monomer of methylacrylate has been added during polymerisation. (Preparation 4110 D as known as Eudragit® FS 30 D from EP-A-704 208 and EP-A-704 207, Roehm GmbH, Darmstadt, Germany). Due to the free carboxylic acid group the polymer dissolves at pH 7 or above making it particularly suitable for delivery into the colon.

Using preparation 4110D a coating thickness of 5 – 15 mg polymer per square cm of capsule surface is preferred.

The colonic region is rich in microbial anaerobic organisms providing reducing conditions. Thus the coating may suitably comprise a material which is redox-sensitive. Such coatings may comprise azopolymers which can for example consist of a random copolymer of styrene and hydroxyethyl methacrylate, cross-linked with divinylazobenzene synthesized by free radical polymerization, the azopolymer being broken down enzymatically and specifically in the colon or may consist of disulphide polymers.

Other materials providing release in the colon are amylose, for example a coating composition can be prepared by mixing amylose-butan-1-ol complex (glassy amylose) with an aqueous dispersion of Ethocel (Ref. 13) or a coating formulation comprising an inner coating of glassy amylose and an outer coating of cellulose or acrylic polymer material (Ref. 17), calcium pectinat, (Ref. 18) pectin, a polysaccharide which is totally degraded by colonic bacterial enzymes (Ref. 11),

chondroitin sulphate (Ref. 19) and resistant starches (Ref. 20), dextran hydrogels (Ref. 12), modified guar gum such as borax modified guar gum (Ref. 21), ß-cyclodextrin, saccharide containing polymers, which can include a polymeric construct comprising a synthetic oligosaccharides - containing biopolymer including methacrylic polymers covalently couples to oligosaccharides such as cellobiose, lactalose, raffinose, and stachyose, or saccharide–containing natural polymers including modified mucopolysaccharides such as cross-linked chondroitin sulphate and metal pectin salts, for example calcium pectate (Ref. 22), methacrylate-galactomannan (Ref. 23) and pH sensitive hydrogels (Ref. 24).

The drug which is contained in the capsule may be any pharmaceutically or therapeutically active agent which is desirable to deliver to the small intestine, for example pancreatin and other proteolytic enzymes, diclofenac, naproxen, aspirin, indomethacin, omeprazole, cardiac glycosides, electrolyte preparations with sodium, potassium and magnesium salts as well as calcium and iron preparations, bisacodyl preparations and valproic acid.

Drugs which are desirable to deliver to the colon include drugs for the treatment of colon disease, for example 5-ASA; steroids such as hydrocortisone, budesonide; laxatives; octreotide; cisapride; anticholinergies; calcium channel blockers, 5HT3-antagonists such as ondansetron and peptides such as insulin.

The HPMC capsules of the present invention are cheap, easy to manufacture and can be readily filled on standard capsule filling machines. The coating process is easy to carry out and the adhesion between the film and the HPMC capsule is good. Aqueous coating is possible and the resulting capsule is sufficiently robust which is an advantage over gelatin capsules.

Particularly advantageous for the HPMC capsule is the slower drug release profile in acidic media and the fast release profile at a pH of 5 and above. This can result in lower quantities of polymer coat compared to that required for tablets to achieve the desired release in the small intestine or colon.

EXAMPLES:

Exampl 1: Enteric capsules:

HPMC capsules were filled with a blend comprising (by weight) 85.5% acetaminophen, 8.4% microcrystalline cellulose, 5.8% croscarmellose sodium and 0.3% sterotex.

The mean capsule fill weight was 250mg.

The capsules were coated with a dispersion, the composition of which is given in Table 1.

Table 1

Composition of aqueous Eudragit® dispersion to coat 1.3 kg HPMC capsules

	g	Solids g
Eudragit L30D-55	1509	453
Triethyl citrate	91	91
Tween 80 (33%)	20	7
Water	1130	-

The dispersion was sprayed onto the HPMC capsules using an Accela-Cota 10. The temperature of the capsule bed during the coating process was 26-32°C.

The mean amounts of polymer applied was from 5mg/cm^2 to 10mg/cm^2.

The dissolution performance of the capsules was tested using the USP method 2 (rotating paddle at 100 rpm). For the first two hours of the test 0.1N HCl (pH 1.2) was used as the test medium. After two hours the test medium was changed to phosphate buffer pH 6.8. Samples were withdrawn from the dissolution vessel at regular intervals and the concentration of acetaminophen in solution was monitored spectrophotometrically. Results from the dissolution test are presented in Fig. 1. Capsules coated with ≥ 7mg/cm^2 remained completely intact for a period of two hours in acid and thus were considered to be enteric. After exposure to the pH 6.8 buffer medium, dissolution was rapid and complete thus fulfilling the requirement of an enteric product to deliver the drug in an undiluted form to its absorption site in the small intestine.

Example 2: Colonic Capsul s

HPMC capsules were filled with a blend comprising (by weight) 85.5% acetaminophen, 8.4% microcrystalline cellulose, 5.8% croscormellose sodium and 0.3% sterotex.

The mean capsule fill weight was 250mg.

The capsules were coated with a dispersion, the composition of which is given in Table 2.

Table 2:

Composition of aqueous methacrylic acid/methyl methacrylate dispersion (preparation 4110D) to coat 1.3 kg HPMC capsules

	g	Solids g
Preparation 4110D	1207	362
Triethyl citrate	18	18
Glceryl monostearate	11	11
Tween 80 (33%)	13	4
Water	728	-

The dispersion was sprayed onto the HPMC capsules using an Accela-Cota 10. The temperature of the capsule bed during the coating process was 26-32°C.

The mean amount of polymer applied was 8mg/cm^2.

The dissolution performance of the capsules was tested using the USP method 2 (rotating paddle at 100 rpm). For the first two hours of the test 0.1 N HCl (pH 1.2) was used as the test medium.

After two hours the test medium was changed to phosphate buffer pH 6.8 for one/two hours and finally to phosphate buffer pH 7.4. Samples were withdrawn from the dissolution vessel at regular intervals and the concentration of acetaminophen in solution was monitored spectrophotometrically. Results from the dissolution test are presented in Fig. 2

CLAIMS

1. A drug delivery composition comprising a HPMC capsule containing the drug and wherein the HPMC capsule is provided with a coating such that the drug is not released from the capsule in the stomach.

2. A drug delivery composition according to claim 1, wherein the HPMC capsule is provided with a coating such that the drug is predominately released from the capsule in the small intestine.

3. A drug delivery composition according to claim 1, wherein the HPMC capsule is provided with a coating such that the drug is predominately released from the capsule in the colon and/or terminal ileum.

4. A drug delivery composition according to claim 2 wherein the coating comprised a material which dissolves at a pH of 5.5 or above.

5. A drug delivery composition according to claim 3 wherein the coating comprises a material which dissolves at a pH 7 or above.

6. A drug delivery composition according to claim 2 wherein the coating comprises cellulose acetate trimellitiate (CAT).

7. A drug delivery composition according to claim 2 wherein the coating comprises hydroxypropylmethyl cellulose phthalate (HPMCP).

8. A drug delivery composition according to claim 2 wherein the coating comprises polyvinyl acetate phthalate (PVAP).

9. A drug delivery composition according to claim 2 wherein the coating comprises shellac.

10. A drug delivery composition according to claim 2 wherein the coating comprises a copolymer of methacrylic acid and methylmethacrylate (Eudragit L ®).

11. A drug delivery composition according to claim 3 wher in the coating composition comprises a material which is redox-sensitive.

12. A drug delivery composition according to claim 3 wherein the coating composition comprises an azopolym r or a disulphide polymer.

13. A drug delivery composition according to claim 3 wherein the coating composition comprises a material which is degraded by enzymes or bacteria present in the colon.

14. A drug delivery composition according to claim 3 wherein the coating composition comprises a copolymer of methacrylic acid and methylmethacrylate to which has been added during polymerisation the monomer methyl acrylate.

15. A drug delivery composition according to claim 3 wherein the coating composition comprises a cellulose ester.

16. A drug delivery composition according to claim 3 wherein the coating composition comprises polyvinyl acetate phthalate.

17. A drug delivery composition according to claim 2 wherein the coating is applied in the range 5-15mg per cm^2 of capsule surface.

18. A drug delivery composition according to claim 3 wherein the coating is applied in the range 5-20mg per cm^2 of capsule surface.

19. A drug delivery system according to claim 2 wherein the drug is one which is effective in the small intestine.

20. A drug delivery system according to claim 1 wherein the drug is one which acts locally in the colon.

21. A drug delivery system according to claim 1 wherin the coating is applied separately to empty HPMC capsule body and cap.

22. A drug delivery system according to claim 21 wherein the HPMC capsule body is coated with an insoluble polymer and the cap is enteric or colonic coated.

23. A drug delivery system according to claim 22 wherein the wat r insoluble polymer is thyl cellulose.

24. A drug delivery system according to claim 1 wherein two equal HPMC capsule halves are filled with a caplet.

25. A drug delivery system according to claim 24 wherein the coating is applied separately to equal empty HPMC capsule halves.

26. A drug delivery system according to claim 24 wherein one half is enteric coated and the other halve is colonic coated.

27. A drug delivery system according to claim 24 wherein one half is coated with an insoluble polymer and the other half is enteric or colonic coated.

28. A drug delivery system according to claim 1 wherein the stomach resistant coating is applied to HPMC capsules having a first coating of a water soluble polyvinyl alcohol.

29. A drug delivery system according to claim 1 wherein the HPMC capsule is coated with a film which is non-dissolving at pH < 3 to 4 and dissolving at pH > 5.5.

30. A drug delivery system according to claim 1 wherein the HPMC content of the capsule shell is in the range of from 10 to 90 % by weight.

31. A drug delivery system according to claim 1 wherein stomach resistant coating is applied to HPMC capsules having a sealing on the gap between capsule body and cap.

FIG-1 RELEASE PROFILE OF ACETAMINOPHEN FROM HPMC CAPSULES COATED WITH VARIOUS QUANTITIES OF EUDRAGIT L30D-50



FIG-2 RELEASE PROFILE OF ACETAMINOPHEN FROM HPMC CAPSULES COATED WITH 8 mg/cm^2 OF PREPARATION 4110D



INTERNATIONAL SEARCH REPORT

Inte onal Application No
PCT/US 99/22117

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K9/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	EP 0 919 228 A (HISAMITSU PHARMACEUTICAL CO., INC.) 2 June 1999 (1999-06-02)	1-5,10, 15, 17-21, 29,30
Y	page 2, line 1 -page 3, line 33 page 4, line 31 - line 36 page 6, line 55 - line 58 & WO 98 05310 A	6-8, 11-14,16
X	EP 0 754 452 A (TANABE SEIYAKU CO., LTD.) 22 January 1997 (1997-01-22) page 14; example 5 page 13; example 1	1-5,10, 29,30
Y	WO 95 35100 A (DANBIOSYST UK LIMITED) 28 December 1995 (1995-12-28) claims 1-13	6-8, 11-13,16

-/--

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
10 February 2000	17/02/2000

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Benz, K

1

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Inte onal Application No
PCT/US 99/22117

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication,where appropriate, of the relevant passages	Relevant to claim No.
Y	DE 94 14 065 U (RÖHM GMBH) 3 November 1994 (1994-11-03) claims 1,7 -----	14

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

Inte: onal Application No
PCT/US 99/22117

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 919228 A	02-06-1999	CN 1226822 A	25-08-1999
		WO 9805310 A	12-02-1998
		JP 10152431 A	09-06-1998
EP 754452 A	22-01-1997	CA 2181502 A	21-01-1997
		CN 1142944 A	19-02-1997
		JP 9087169 A	31-03-1997
WO 9535100 A	28-12-1995	AU 688060 B	05-03-1998
		AU 2746095 A	15-01-1996
		CA 2193481 A	28-12-1995
		EP 0810857 A	10-12-1997
		FI 965154 A	20-02-1997
		GB 2303550 A,B	26-02-1997
		JP 2986217 B	06-12-1999
		JP 9510478 T	21-10-1997
		NO 965436 A	18-12-1996
DE 9414065 U	03-11-1994	CZ 9502235 A	13-03-1996
		EP 0704207 A	03-04-1996
		HU 75239 A	28-05-1997
		JP 8073378 A	19-03-1996
		SK 106295 A	08-01-1997
		US 5705189 A	06-01-1998